

Chemical Constituents and Bioactivities of *Azanza garckeana*: A Review

Stephen Dio Titus^{1*}, Nelson Christian², Kennedy B. Samuel³,
Samuel G. Ishaya⁴, Achilus Francis⁵, Ajiduku Abershi Leyoa⁶

^{1,2,3,4,6}Taraba State University, Jalingo, Nigeria; ⁵Taraba State Polytechnic, Suntai Nigeria
titius.stephendio@gmail.com

Article Info:

Submitted:	Revised:	Accepted:	Published:
Jan 11, 2025	Jan 23, 2025	Feb 5, 2025	Feb 10, 2025

Abstract

Azanza garckeana, commonly known as "Goron Tula," is a medicinal plant widely recognized in Southern Africa for its traditional applications in treating infertility, respiratory issues, and liver disorders. Recent studies have explored its bioactive compounds, revealing significant therapeutic potentials, such as antiplasmodial, antioxidant, anti-inflammatory, and uterotonic effects. Key phytochemicals like flavonoids, tannins, and alkaloids have been identified, contributing to its diverse pharmacological activities. This review compiles current knowledge on the chemical constituents and bioactivities of *Azanza garckeana*, providing a foundation for future research on its medicinal and nutritional applications. The plant's role in enhancing health, with potential uses in modern medicine, is also highlighted.

Keywords: *Azanza garckeana*, Bioactivities, Traditional Medicine, Phytochemicals, Goron Tula

INTRODUCTION

Azanza garckeana (F. Hoffm.) Exell et Hillc., belongs to the Malvaceae family (Ikechi-Nwogu and Egere, 2024). it is a widely recognized plant indigenous to various regions of Africa, particularly in countries like Zambia (Chanda *et al.*, 2024), Nigeria (Iyojo *et al.*, 2022), and South Africa and Botswana (Nko *et al.*, 2025). Traditionally, different parts of this plant, including the leaves, roots, and fruits, have been utilized in herbal medicine to address various ailments, such as infertility, respiratory issues, and liver problems (Chanda *et al.*, 2020; Ibrahim *et al.*, 2023). The plant's extensive ethnomedicinal applications have sparked scientific interest, leading to the exploration of its bioactive compounds and their potential therapeutic effects (Gaobotse *et al.*, 2023).

This review aims to compile and synthesize current knowledge on the bioactivities and chemical constituents of *Azanza garckeana*, and their potential roles in contemporary medicine. Through a comprehensive examination of existing literature.

Chemical Constituents

Flavonoids

Active Compound	Method of Identification	Plant Part	Reference
Quercetin	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Kaempferol	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Rutin	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Apigenin	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Luteolin	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Catechin	LC-MS	Fruit pulp	Lawal <i>et al.</i> (2022)
Catechin Hydrate	LC-MS	Fruit pulp	Lawal <i>et al.</i> (2022)
Nonyl Flavanone	LC-MS		Lawal <i>et al.</i> (2022)
6-(Benzyloxy)-4,4-Dimethyl-2-Chromanone	LC-MS		Lawal <i>et al.</i> (2022)

Phenolics

Active COmpound	Method of Identification	Plant Part	Reference
Caffeic Acid	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Gallic Acid	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Chlorogenic Acid	HPLC, LC-MS	Leaves, Fruit	Ibrahim <i>et al.</i> (2024); Lawal <i>et al.</i> (2022)
Chlorogenic Acid O-Quinone	LC-MS		Lawal <i>et al.</i> (2022)
Ferulic Acid	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Protocatechuic Acid	HPLC	Leaves	Ibrahim <i>et al.</i> (2024)
Phlobatannins	GC-FID	Fruit pulp	Nkwocha <i>et al.</i> (2024)
Protocatechuic Acid			

Alkaloids

Active Compound	Method of Identification	Plant Part	Reference
Berberine	HPLC	Leaves	Ibrahim & Bisallah (2024)
Quinine	TLC	Roots	Jada <i>et al.</i> (2024)
Morphine	GC-MS	Roots	Ahmed <i>et al.</i> (2024)

DISCUSSION

Lawal *et al.* (2022) reported LC-MS analysis of the crude methanol extract of *A. garckeana* revealing a diverse range of phytoconstituents, each with potential bioactive properties that contribute to the therapeutic uses of the plant. The first compound identified is 2-Hexadecen-1-ol, 3,7,11,15-tetramethyl-, (2E,7 R,11 R), a long-chain alcohol that likely belongs to the class of phytol derivatives. Long-chain alcohols such as this are known for their roles in essential oils, often exhibiting antimicrobial and antioxidant properties (Mudge, 2005). This suggests that *Azanza garckeana* may have applications in natural therapies for infections and oxidative stress-related conditions (Lawal *et al.*, 2022). Another significant compound is Mansonone N, a quinonoid derivative. Quinones are widely studied for their role in oxidative stress management and as potential anticancer agents (Rajendran, 2016); Dong *et al.*, 2024). The presence of this compound in *Azanza garckeana* aligns with previous studies on plant-derived quinones, highlighting their ability to disrupt cancer cell proliferation and induce apoptosis (Dehelean *et al.*, 2021; Esmeeta *et al.*,

2022). Furthermore, their antimicrobial activity enhances the therapeutic potential of this plant extract in treating microbial infections (Lawal *et al.*, 2022). The extract also contains D-Glucosamine, a well-known amino sugar that is widely used in the treatment of osteoarthritis (Varagani *et al.*, 2024). Glucosamine plays a critical role in the formation and repair of cartilage, suggesting that *Azanza garckeana* could have applications in joint health and the management of degenerative joint disorders (McCarty *et al.*, 2019). This supports the ethnomedicinal use of this plant in treating musculoskeletal ailments

Betulin, a triterpene, is another phytoconstituent identified in the extract. Triterpenes like betulin have been documented for their anti-inflammatory, antiviral, and anticancer properties (Virginia *et al.*, 2024). Betulin is known to enhance immune responses and induce apoptosis in cancer cells, making it a compound of interest for further investigation in cancer therapeutics. Its presence in *Azanza garckeana* suggests the plant's potential role in both immune modulation and cancer treatment (Lawal *et al.*, 2022).

Additionally, the extract contains Nonyl Flavanone, a type of flavonoid. Flavonoids are well-documented for their antioxidant, anti-inflammatory, and cardiovascular protective effects (El Oirdi, 2024). Nonyl flavanone, in particular, may help neutralize free radicals and reduce oxidative stress, contributing to the plant's protective effects against chronic diseases such as cardiovascular and neurodegenerative disorders.

The identification of 6-(Benzyloxy)-4,4-Dimethyl-2-Chromanone adds to the extract's pharmacological profile. Chromanone derivatives are known to possess antioxidant activities, which are essential in protecting cells from oxidative damage. This compound's benzyloxy group further enhances its biological activity, potentially contributing to the extract's overall antioxidant capacity (Lawal *et al.*, 2022).

Chlorogenic Acid O-Quinone, an oxidized form of chlorogenic acid, was also found in the extract. Chlorogenic acid is widely recognized for its antioxidant, anti-inflammatory, and antidiabetic effects (Yin *et al.*, 2024). The quinone form may possess distinct bioactivities, including enhanced redox cycling capabilities, which could further boost the plant's potential in treating metabolic disorders and inflammation (Mucha *et al.*, 2021).

The extract also contains Catechin and Catechin Hydrate, which are both flavonoids with strong antioxidant properties (Veiko *et al.*, 2021). Catechins are abundant in tea and known for their ability to neutralize free radicals, support heart health, and prevent

certain types of cancer. The presence of both forms in *Azanza garckeana* adds to its potential health benefits, particularly in reducing oxidative stress and inflammation (Mokwena, 2024).

Testolactone, an antineoplastic agent, was identified as well. It is known to inhibit the enzyme aromatase, reducing estrogen production and making it useful in the treatment of hormone-sensitive cancers like breast cancer (Janowska *et al.*, 2024). This suggests that *Azanza garckeana* could have potential applications in cancer therapy, especially in hormone-driven cancers.

The identification of L-Tryptophan, an essential amino acid, further adds to the plant's medicinal potential. Tryptophan is a precursor to serotonin, a neurotransmitter critical for mood regulation, sleep, and mental well-being (Nayak *et al.*, 2022). The presence of L-tryptophan indicates that *Azanza garckeana* may have neuroprotective effects, potentially aiding in the treatment of depression and other mood disorders (Souza *et al.*, 2024).

Also, 3alpha,12alpha-Dihydroxy-5beta-Chol-8-En-24-Oic Acid, a bile acid derivative, was detected. Bile acids play an essential role in fat digestion and cholesterol metabolism, and they also act as signaling molecules in metabolic pathways. This compound's presence suggests that *Azanza garckeana* may have metabolic regulatory effects, which could be beneficial in treating metabolic disorders such as diabetes or obesity (Lawal *et al.*, 2022).

In the study by Nkwocha *et al.* (2024), the hexane extract of *Azanza garckeana* was analyzed for its phytochemical composition, focusing on the presence of flavonoids, steroids, phlobatannins, alkaloids, and saponins. These phytochemicals are bioactive compounds that contribute to the plant's medicinal properties and potential therapeutic uses. The study identified various bioactive compounds in the leaves of *Azanza garckeana* through phytochemical screening and GC-FID analysis:

Proanthocyanin is a type of flavanol known for their antioxidant properties, helping to scavenge free radicals and protect cells from oxidative damage (Ngcobo *et al.*, 2024). They are also associated with cardiovascular health benefits (Nkwocha *et al.*, 2024). Also, Lunamarin a quinoline alkaloid was identified compounds. Alkaloids like lunamarin often exhibit bioactive properties such as antimicrobial and anti-inflammatory effects, making them significant in medicinal research (Gaur *et al.*, 2024).

Cardiac glycosides are classified as steroid alkaloids and are known for their effects on heart muscle contractions. These compounds have been widely utilized in the treatment of heart failure and arrhythmias due to their ability to enhance cardiac output (Nkwocha *et al.*, 2024).

Anthocyanins are responsible for red, purple, and blue pigmentation in plants. They exhibit strong antioxidant, anti-inflammatory, anticancer, and cardiovascular protective properties (Ma *et al.*, 2021). Flavan-3-ols are well-known for their antioxidative and cardiovascular benefits (El Rayess *et al.*, 2024). Rutin is noted for its antioxidant and anti-inflammatory effects, with potential roles in strengthening blood vessels and reducing capillary permeability (Madkour *et al.*, 2024). Naringenin has demonstrated antioxidative, anti-inflammatory, and anticancer activities, making it an essential compound in therapeutic research (Asghariazar *et al.*, 2024). Kaempferol was also one of the identified compounds, possessing antioxidant, anti-inflammatory, and anticancer properties, with significant implications in chronic disease prevention (Kaur *et al.*, 2024). Epicatechin is well known for its cardiovascular benefits, particularly in improving blood flow and reducing blood pressure. Resveratrol is extensively studied for its antioxidant and anti-inflammatory properties, as well as its potential role in cancer prevention and anti-aging applications.

Alkaloids are another important class of bioactive compounds identified. Ribalinidine, a quinoline alkaloid exhibits notable medicinal properties, including antibacterial and antimalarial activities, making it a key candidate for drug development. Spartein, another quinoline alkaloid, is known for its neuroactive effects and potential applications in neurological disorders (Nkwocha *et al.*, 2024).

Steroids compounds play essential roles in regulating inflammation and immune responses and are widely used in medical treatments. Similarly, saponins belong to the saponin class of compounds known for their cholesterol-lowering, immune-boosting, and anticancer properties (Jolly *et al.*, 2024).

Laz-Okenwa *et al.* (2024) conducted a comprehensive evaluation of the phytochemical constituents in the hydroethanolic extract of *Azanza garckeana* fruit pulp. Their study identified the presence of alkaloids, triterpenoids/steroids, and carbohydrates, which contribute to its therapeutic, anti-inflammatory, and nutritive benefits. However, the absence of flavonoids, phenolic constituents, and saponins in the extract suggests that its antioxidant and cholesterol-lowering properties may be limited.

Gas Chromatography-Mass Spectrometry (GC-MS) analysis further identified key chemical compounds, including bicyclo [3.1.1] heptane, hexadecanoic acid ethyl ester, and 9,12-octadecadienoic acid ethyl ester. These compounds exhibit a broad range of biological activities, including antioxidant, antimicrobial, anti-inflammatory, and anticancer properties. Notably, hexadecanoic acid ethyl ester was associated with significant antioxidant and hypocholesterolemic effects, while 9,12-tetradecadien-1-ol acetate exhibited cardioprotective and neuroprotective potential.

Bioactivities Activities

Azanza garckeana, commonly known as the "wild pear," exhibits a range of pharmacological activities and traditional uses. Its root bark extract demonstrates significant antiplasmodial effects, achieving 88.17% chemosuppression in *Plasmodium berghei*-infected mice at 300 mg/kg, comparable to Artemether's efficacy (Jada *et al.*, 2024). The plant also possesses uterotonic properties, with its hot aqueous root extract mobilizing calcium in uterine smooth muscles to induce contractions, a feature traditionally leveraged during childbirth (Chanda *et al.*, 2020). Additionally, the aqueous fruit extract enhances hematological parameters by increasing hemoglobin, red and white blood cell counts, and platelets, suggesting potential benefits for individuals with blood disorders (Ahmed *et al.*, 2024). These pharmacological effects are attributed to its phytochemical composition, which includes flavonoids, tannins, and alkaloids, known for their antioxidant, anti-inflammatory, and antimicrobial properties (Ibrahim *et al.*, 2023).

The plant also impacts liver function, as its aqueous fruit extract elevates enzymes like ALT, AST, and ALP, yet keeps them within normal ranges, indicating minimal toxicity (Ahmed *et al.*, 2024). Its safety profile is further reinforced by studies showing no adverse effects on the liver, kidneys, or blood (Ahmed *et al.*, 2024). Traditionally, *Azanza garckeana* is employed to treat ailments such as coughs, infertility, and liver disorders across African regions like Nigeria, Kenya, and Malawi. Its roots are especially valued for their uterotonic properties, aligning with ethnobotanical practices for reproductive health and labor induction (Chanda *et al.*, 2020). The plant is also recognized for its antimalarial activity, offering a natural remedy in regions where malaria remains a significant health challenge (Jada *et al.*, 2024).

The nutritional and agricultural applications of *Azanza garckeana* further enhance its value. The fruit, rich in vitamin C, iron, and dietary fiber, supports immune health and combats anemia, while its leaves and fruits serve as nutritional supplements for livestock (Danbature *et al.*, 2024). In farming, the plant improves soil health through nutrient cycling and potentially deters pests due to its bioactive compounds (Aliyu *et al.*, 2023). Despite these benefits, challenges such as limited agronomic knowledge and market access require attention to optimize its use. Future research should focus on its mechanisms of action, postharvest management, and expanded commercial applications to maximize its medicinal, nutritional, and agricultural potentials.

CONCLUSION

Azanza garckeana is a plant rich in a diverse array of bioactive compounds, including phenolic compounds, flavonoids, alkaloids, saponins, tannins, carotenoids, and pectin, all of which contribute to its broad pharmacological potential. The combination of these compounds provides antioxidant, anti-inflammatory, antimicrobial, and wound-healing properties that support its traditional use in African medicine. Phenolic compounds and flavonoids, in particular, exhibit strong antioxidant activities, while alkaloids and saponins contribute to the plant's antimicrobial and cholesterol-lowering effects. The discovery of bioactive lipids and the isolation of betulinic acid further highlight the plant's potential for developing novel treatments for inflammatory diseases, infections, and even cancer.

The presence of essential minerals such as potassium, calcium, magnesium, and iron enhance the plant's nutritional value, making it an important dietary component, especially in regions where deficiencies are common. Its role in managing diabetes is particularly noteworthy, with saponins and other compounds demonstrating significant hypoglycemic activity in both *in vitro* and *in vivo* studies. This suggests that *Azanza garckeana* could be developed into natural therapies for diabetes and metabolic disorders, potentially offering a safer alternative to conventional drugs.

Additionally, the industrial potential of *Azanza garckeana*-derived pectin is promising, especially in food processing and pharmaceuticals, where its gelling properties could be harnessed for a variety of applications. The plant's versatility, ranging from its medicinal uses to its nutritional benefits and industrial applications, makes it a valuable indigenous resource. Further research into the plant's bioactive constituents could unlock

new therapeutic avenues, particularly for the treatment of chronic diseases such as diabetes, cardiovascular diseases, and cancer.

REFERENCES

- Ahmad, A., Suleiman, I., Abdulazeze, J., & Yusuf, T. (2022). Effect of Hydromethanolic Fruit Pulp Extract of *Azanza garckeana* (Malvaceae) on Sexual Behavior, Sex Hormones and Histology of Female Wistar Rats. *International Journal of Research and Reports in Gynaecology*, 5(3), 181-192.
- Ahmed, M. U., Ignatus, M., Yakubu, B., Umaru, I. J., Muhammad, Z. I., Habibu, B., Okoli, C. E., & Yusuf, D. (2022). Alpha amylase and angiotensin converting enzyme inhibitory potential of aqueous extract of *Azanza garckeana* fruit. *Journal of Applied and Natural Science*, 14(2), 3305. DOI: [10.31018/jans.v14i2.3305](https://doi.org/10.31018/jans.v14i2.3305).
- Ahmed, M. U., Umaru, I. J., Bazza, J. A., & Adamu, A. A. (2024). Effect of Aqueous Fruit Extract of *Azanza garckeana* on Some Biochemical and Hematological Parameters in Wistar Rats. *Advances in Biological Sciences*, 2(4), 298-303. DOI: [10.3923/asb.2024.298.303](https://doi.org/10.3923/asb.2024.298.303).
- Ajiboso, S. O. (2023). Determination of chemical profile of *Azanza garckeana* Fruit. *International Journal of Recent Research in Thesis and Dissertation*, 4(2), 1-6.
- Amaduruonye, W., Ikwunze, K., Charles, P. C., & Egbo, A. B. (2024). Direct and Residual Effect of *Azanza garckeana* (Goron Tula) Fruit Meal on Lipid Profiles of New Zealand White Rabbits in the Humid Tropics. *Nigerian Journal of Animal Production*, 488-492.
- Amaduruonye, W., Uche, C. D., Charles, P. C., Herbert, U., Obike, O. M., Onunkwo, D. N., ... & Odoemelan, L. E. (2024). Direct and residual effects of *Azanza garckeana* (Goron tula) fruit on the Growth and Internal organ histology of New Zealand White rabbit bucks. *Journal of Sustainable Veterinary & Allied Sciences*, 6(1).
- Asghariazar, V., Karimi, A., Adeli, S., Kadkhodayi, M., Zare, E., Azgoomi, R. N. D., & Vostakolaei, M. A. (2024). Anticancer activity of naringenin on human liposarcoma: An experimental and bioinformatic study. *Prostaglandins & Other Lipid Mediators*, 174, 106884.
- Asogwa, E. U., & Asogwa, U. E. (2020). The role of fruits in human nutrition: An overview. *Food Science and Human Wellness*, 9(3), 193-198.
- Balogun, P. O., Hassan, O. N., & Raji, I. S. AROC in Natural Products Research 2021; 1 (2): 1-10.
- Benhura, M. A., Mbuya, N., & Machirori, E. (1999). Facile formation of caramel colours using the polysaccharide material that is extracted from the fruit of *Azanza garckeana*. *Food chemistry*, 65(3), 303-307.
- Bioltif, Y. E., Edward, N. B., & Tyeng, T. D. (2020). A chemical overview of *Azanza garckeana*. *Biology, medicine, & natural product chemistry*, 9(2), 91-95.
- Broughton Pipkin, F., & Thilaganathan, B. (2018). Uterine contractility and the mechanisms of labor. *Current Opinion in Obstetrics and Gynecology*, 30(6), 460-465.
- Brubacher, J. (2002). A review of the analytical methods for the determination of ascorbic acid in food. *Food Chemistry*, 78(4), 577-582.
- Bukar, B. B., Ezech, F., & Sabo, S. Y. (2021). Methanol extract of *Azanza garckeana* fruit pulps protects against formalin-induced reproductive toxicity in adult albino male mice. *health*, 3, 4.

- Bukar, B. B., Tsokwa, N. E., & Orshi, O. D. (2020). Ameliorative and fecundity potentials of aqueous extract of *Azanza garckeana* (T. Hoffm) fruit pulp in formalin-induced toxicity on male albino mice. *Journal of Pharmacy & Bioresources*, 17(2), 164-173.
- Chanda, A., Angela Gono-Bwalya, A., & Prashar, L. (2024). The Phytopharmacological Evaluation of the Methanol Root Extract of *Azanza garckeana* (Malvaceae) on Isolated Wistar Rat Uterine Smooth Muscles. *bioRxiv*, 2024-05. DOI: [10.1101/2024.05.10.593648](https://doi.org/10.1101/2024.05.10.593648).
- Chanda, A., Simwinga, F., Kaonga, P., Gono-Bwalya, A., & Prashar, L. (2020). The uterotonic screening of the root extract of *Azanza garckeana* (malvaceae) on isolated Wistar rat uterine smooth muscles. *Evidence-Based Complementary and Alternative Medicine*, 2020(1), 8873180.
- Chawafambira, A. (2021). Extraction and characterization of pectin from snot apple (*Azanza garckeana*) fruits with potential use in Zimbabwe. *International Journal of Fruit Science*, 21(1), 791-803.
- Connelly, M. P. E., Fabiano, E., Patel, I. H., Kinyanjui, S. M., Mberu, E. K., & Watkins, W. M. (1996). Antimalarial activity in crude extracts of Malawian medicinal plants. *Annals of Tropical Medicine & Parasitology*, 90(6), 597-602. <https://doi.org/10.1080/00034983.1996.11813089>
- Danbature, W. L., Yirankinyuki, F. F., Magaji, B., & Ibrahim, Z. (2015). Comparative determination of vitamin C and iron in ten (10) locally consumed fruits in Gombe State, Nigeria. *International Journal of Advanced Research in Chemical Sciences*, 2(8), 14-18.
- Dawud, F. A., Farrau, U., Abdulkadir, T. S., Augustine, B. D., Jaafar, A., Itodo, O. D., ... & Mudassir, M. S. (2023). Acute and subacute oral toxicity of methanol fruit pulp extract of *Azanza garckeana* (Tula Kola nut) in adult male Wistar rats. *Nigerian Journal of Biochemistry and Molecular Biology*, 38(1), 20-32.
- Dehelean, C. A., Marcovici, I., Soica, C., Mioc, M., Coricovac, D., Iurciuc, S., ... & Pinzaru, I. (2021). Plant-derived anticancer compounds as new perspectives in drug discovery and alternative therapy. *Molecules*, 26(4), 1109.
- Dikko, Y., Khan, M., Tor-Anyiin, T., Anyam, J., & Linus, U. (2016). In vitro antimicrobial activity of fruit pulp extracts of *Azanza garckeana* (F. hoffm.) Exell & Hillc. and isolation of one of its active principles, betulinic acid. *British Journal of Pharmaceutical Research*, 14(1), 1-10.
- Dong, M., Ming, X., Xiang, T., Feng, N., Zhang, M., Ye, X., ... & Wu, Q. (2024). Recent research on the physicochemical properties and biological activities of quinones and their practical applications: a comprehensive review. *Food & Function*, 15(18), 8973-8997.
- Ehigiator, B. E., Okoli, R. I., Ndubueze, N. G., & Ebong, O. O. (2021). In-vivo and In-silico Investigations on Goron Tula (*Azanza garckeana* F. Hoffm), a Booster of Female Sexual Arousal and Vaginal Lubrication. *J Trop Dis doi*, 10.
- El Oirdi, M. (2024). Harnessing the Power of Polyphenols: A New Frontier in Disease Prevention and Therapy. *Pharmaceuticals*, 17(6), 692.
- El Rayess, Y., Nehme, N., Azzi-Achkouty, S., & Julien, S. G. (2024). Wine phenolic compounds: Chemistry, functionality and health benefits. *Antioxidants*, 13(11), 1312.
- Esmeeta, A., Adhikary, S., Dharshnaa, V., Swarnamughi, P., Maqsummiya, Z. U., Banerjee, A., ... & Duttaroy, A. K. (2022). Plant-derived bioactive compounds in colon cancer treatment: An updated review. *Biomedicine & Pharmacotherapy*, 153, 113384.
- Farrau, U., Dawud, F. A., Abdulkadir, T. S., Augustine, B. D., Jaafar, A., Egbunu, V. U. O., ... & Salman, M. (2024). Dysregulation of Electrolyte Balance and Lipid Profile in

- Rats Following Oral Administration of Methanolic Fruit Pulp Extract of *Azanza garckeana* (Tula Kola Nut).
- Felix, J. O., Nkwocha, C. C., & Oruchukwu, M. L. (2024). Assessment of Nutrients, Antinutrients and In Vitro Antioxidants Studies of Whole Leaf, and Leaf Extract of *Azanza garckeana*.
- Gaobotse, G., Venkataraman, S., Brown, P. D., Masisi, K., Kwape, T. E., Nkwe, D. O., ... & Makhzoum, A. (2023). The use of African medicinal plants in cancer management. *Frontiers in Pharmacology*, 14, 1122388.
- Gaur, P. K., Rastogi, S., & Lata, K. (2022). Correlation between phytochemicals and pharmacological activities of *Boerhavia diffusa* Linn with traditional-ethnopharmacological insights. *Phytomedicine Plus*, 2(2), 100260.
- Hassan, A. I., & Aminu, A. I. (2024). Evaluation of the Antimicrobial Activity and Toxicity of Local and Foreign Seeds of *Azanza garckeana* (Goron Tula) Extracts. *UMYU Journal of Microbiology Research (UJMR)*, 9(1), 1-14.
- Herbert, U., Amaduruonye, W., Ikwunze, K., Obike, O. M., Onunkwo, D. N., Amaechi, N., & Odoemelan, L. E. (2024). Growth and Linear Body Developments of New Zealand White rabbit bucks fed diets supplemented with *Azanza garckeana* (Goron Tula) fruit meal. *Nigerian Journal of Animal Production*, 50(3), 125-138.
- Hlabano, N., Nkiwane, L. C., Dzingai, P., & Gadlula, S. (2024). Proximate analysis and evaluation of total phenolic compounds in *Azanza garckeana* fruit for use as gelatin crosslinking agent. *Journal of Food Science and Technology*, 61(2), 342-350. <https://doi.org/10.1007/s11483-024-01750-2>
- Ibrahim, M., Idoko, A. S., & Ganiyu, A. I. (2024). Evaluation of the acute and sub-acute toxicity of *Azanza garckeana* aqueous leaves extract in wistar rats. *Nigerian Journal of Biochemistry and Molecular Biology*, 39(1), 8-15.
- Ibrahim, M., Idoko, A. S., Ganiyu, A. I., & Sadiq, I. Z. Hypoglycaemic and Anti-hyperglycaemic Activity of Aqueous Extract of *Azanza garckeana* Leaves in Normal and Alloxan-induced Diabetic Rats.
- Ibrahim, M., Idoko, A. S., Ganiyu, A. I., Lawal, N., Abu, P., Ifebu, J., ... & Yusuf, F. (2023). Phytochemical analysis of Hexane, Chloroform, Ethyl acetate, Ethanol and Aqueous Extracts of *Azanza garckeana* Leaf. *Sabel Journal of Life Sciences FUDMA*, 1(1), 25-31.
- Ibrahim, P., Abdurahman, E. M., & Bisallah, M. (2019). Pharmacognostic evaluation of the leaves of *Azanza garckeana* (F. Hoffm.) Exell et Hillc.(Malvaceae). *Journal of Pharmacy & Bioresources*, 16(2), 125-132.
- Ikechi-Nwogu, C. G., & Egere, M. U. (2024). Macroscopic and Molecular Approaches for Identification of Fungi Associated with *Azanza garckeana*. *Asian J. Biol. Sci*, 17(3), 324-330.
- Ikechi-Nwogu, C. G., & Egere, M. U. (2024). Macroscopic and Molecular Approaches for Identification of Fungi Associated with *Azanza garckeana*. *Asian J. Biol. Sci*, 17(3), 324-330.
- Iloabuchi, G. C., Idoko, A. S., Hannafi, A. M., Ganiyu, A. I., & Umar, S. (2024). Effects of *Azanza garckeana* Fruit Pulp on Metabolic Syndrome in Wistar Rats Fed on High Fructose Diet. *UMYU Journal of Microbiology Research (UJMR)*, 9(1), 55-64.
- Itodo, J. I., Ayo, J. O., Rekwot, I. P., Aluwong, T., Allam, L., & Ibrahim, S. (2022). Comparative evaluation of solvent extracts of *Azanza garckeana* fruit pulp on hormonal profiles, spermiogram and antioxidant activities in rabbit bucks. *World Rabbit Science*, 30(4), 309-326.
- Itodo, J. I., Jolayemi, K. O., Sani, D., Ocheja, J. O., Ibrahim, S., & Ojeamiren, M. T. (2023). Effects of *Azanza garckeana* and melatonin on serum biochemical and

- histopathological changes induced by chronic bisphenol-A administration in New Zealand rabbit bucks. *Emerging Animal Species*, 9, 100031.
- Itodo, Joy Iyojo, Peter Ibrahim Rekwot, Tagang Aluwong, Lushaikyaa Allam, Kelvin Olutimilehin Jolayemi, Stephen Kyari, Kenneth Owoicho Abah *et al.* "Azanza garckeana ameliorates Bisphenol A-induced reproductive toxicities in rabbit bucks." *Theriogenology* 192 (2022): 150-165.
- Itojo, J. I., Rekwot, P. I., Aluwong, T., Lushaikyaa, A., Bugau, J. S., Ojeamiren, M. T., Umar, M. D., Mundi, L. H., Abdullahi, H. R., & Yusuf, A. T. (2022). Comparative roles of *Azanza garckeana* (Goron Tula) and melatonin in ameliorating chronic exposure to bisphenol A on testicular morphometry and sperm reserves in New Zealand white bucks. *Nigerian Journal of Animal Production*, 560-563.
- Iyen, I. S., Ushie, O. A., Ugwuja, D. I., Longbap, B. D., & Ayila, D. N. (2021). Chemical composition and antimicrobial activities of methanol extract of *Azanza garckeana* fruit pulp. *J. Sci. Eng. Technol*, 8(1), 143-150.
- Iyojo, I. J., Ibrahim, R. P., Tagang, A., Allam, L., & Olusegun, A. J. (2022). Effects of different extracts of Azanza garckeana fruit pulp on haematological and biochemical parameters of New Zealand White (NZW) rabbit bucks. *Comparative Clinical Pathology*, 31(3), 453-463.
- Jacob, C., Shehu, Z., Danbature, W. L., & Karu, E. (2016). Proximate analysis of the fruit *Azanza garckeana* ("Goron Tula"). *Bayero Journal of pure and applied sciences*, 9(2), 221-224.
- Janowska, S., Holota, S., Lesyk, R., & Wujec, M. (2024). Aromatase Inhibitors as a Promising Direction for the Search for New Anticancer Drugs. *Molecules*, 29(2), 346.
- Joel, J. M., Barminas, J. T., Riki, E. Y., Yelwa, J. M., & Edeh, F. (2018). Extraction and characterization of hydrocolloid pectin from goron tula (*Azanza garckeana*) fruit. *World Sci. News*, 101, 157-171.
- Jolly, A., Hour, Y., & Lee, Y. C. (2024). An outlook on the versatility of plant saponins: a review. *Fitoterapia*, 105858.
- Kaur, S., Mendonca, P., & Soliman, K. F. (2024). The Anticancer Effects and Therapeutic Potential of Kaempferol in Triple-Negative Breast Cancer. *Nutrients*, 16(15), 2392.
- Lashani, K., Malik, S., Gaobotse, G., Makhzoum, A., & Masisi, K. (2024). Exploring nature's Pharmacy: Indigenous Plants of Southern Africa with Antiallergic Properties and their Mechanism of Action. In *Biotechnology of Medicinal Plants with Antiallergy Properties: Research Trends and Prospects* (pp. 127-154). Singapore: Springer Nature Singapore.
- Lawal, B., Kuo, Y. C., Onikanni, S. A., Chen, Y. F., Abdulrasheed-Adeleke, T., Fadaka, A. O., ... & Huang, H. S. (2023). Computational identification of novel signature of T2DM-induced nephropathy and therapeutic bioactive compounds from *Azanza garckeana*. *American Journal of Translational Research*, 15(7), 4504.
- Lawal, B., Sani, S., Onikanni, A. S., Ibrahim, Y. O., Agboola, A. R., Lukman, H. Y., ... & Conte-Junior, C. A. (2022). Preclinical anti-inflammatory and antioxidant effects of *Azanza garckeana* in STZ-induced glycemic-impaired rats, and pharmacoinformatics of it major phytoconstituents. *Biomedicine & Pharmacotherapy*, 152, 113196.
- Laz-OkenwaJOA, A. T. F., & Ojeka, S. O. (2024). Evaluation of the phytochemical/active ingredients composition of the hydroethanol extract of the fruit pulp of *Azanza garckeana* and its toxicity profile. *Journal of Medicinal Plants Studies*. 12(1): 38-42
- Letcher, R. M., & Shirley, I. M. (1992). O-Naphthoquinones from the heartwood of *Azanza garckeana*. *Phytochemistry*, 31(12), 4171-4172. [https://doi.org/10.1016/0031-9422\(92\)80436-I](https://doi.org/10.1016/0031-9422(92)80436-I)

- Ma, Z., Du, B., Li, J., Yang, Y., & Zhu, F. (2021). An insight into anti-inflammatory activities and inflammation related diseases of anthocyanins: A review of both in vivo and in vitro investigations. *International Journal of Molecular Sciences*, 22(20), 11076.
- Madkour, D. A., Ahmed, M., Elkirdasy, A. F., Orabi, S. H., & Mousa, A. A. (2024). Rutin: Chemical properties, Pharmacokinetic properties and Biological activities. *Matrouh Journal of Veterinary Medicine*, 4(1), 26-34.
- Magaji, P. A., Muhammad, A., & Shadrach, P. (2024). Antioxidant Activities and FT-IR of *Azanza garckeana* Leaves Extracts. *African Journal of Biochemistry and Molecular Biology Research*, 1(1), 459-470. <https://doi.org/10.58578/ajbmbr.v1i1.3486>
- McCarty, M. F., O'Keefe, J. H., & DiNicolantonio, J. J. (2019). Glucosamine for the treatment of osteoarthritis: the time has come for higher-dose trials. *Journal of dietary supplements*, 16(2), 179-192.
- Michael, K. G., Onyia, L. U., & Jidauna, S. B. (2015). Evaluation of phytochemicals in *Azanza garckeana* (Gorontula) seed. *Journal of Agriculture and Veterinary Science*, 8(5), 71-74.
- Michael, K. G., Onyia, L. U., & Kefas, M. (2015). Growth performance of *Clarias gariepinus* juveniles fed with *Azanza garckeana* (goron tula) seed meal. 91-97.
- Mohammed, A. H., Mshelia, E. H., Watirahyel, E. M., & Yohanna, C. (2021). Phytochemicals Screening and Antimicrobial Activity of the Stem Bark Extracts of *Azanza garckeana* (Kola of Tula). *Scientific Journal of Pure and Applied Sciences*, 4(6), 154-164. DOI: 10.36348/sijtc.2021.v04i06.010.
- Mojeremane, W., & Tshwenyane, S. (2004). *Azanza garckeana*: A valuable edible indigenous fruit tree of Botswana.
- Mokwena, K. K. (2024). Englerophytum Magalismontanum Sond. TD Penn (Sapotaceae): A Review of Its Botany, Nutritional Profile and Ethnomedicinal Potential. *Int. J. Sci. Res. in Multidisciplinary Studies Vol*, 10(2).
- Momodu, I. B., Okungbowa, E. S., Agoreyo, B. O., & Maliki, M. M. (2022). Gas chromatography–mass spectrometry identification of bioactive compounds in methanol and aqueous seed extracts of *Azanza garckeana* fruits. *Nigerian Journal of Biotechnology*, 38(1), 25-38.
- Mshelia, E.H., Watirahyel, E.M., Maigari, A.U., Christopher, Y., & Ismail, F. (2023). Cytotoxicity and Antioxidant Activity of Stem Bark Extracts of *Azanza garckeana* (Kola of Tula). *Journal of Chemistry*.
- Mucha, P., Skoczyńska, A., Malecka, M., Hikiś, P., & Budzisz, E. (2021). Overview of the antioxidant and anti-inflammatory activities of selected plant compounds and their metal ions complexes. *Molecules*, 26(16), 4886.
- Mudge, S. M. (2005). Fatty alcohols—a review of their natural synthesis and environmental distribution. *The Soap and Detergent Association*, 132, 1-141.
- Nascimento, M. M. D., & Oliveira, L. D. (2015). A modified method for iron determination in biological samples using spectrophotometry. *Analytical Chemistry*, 87(5), 2761-2766.
- Nayak, B. N., Singh, R. B., & Buttar, H. S. (2022). Biochemical and dietary functions of tryptophan and its metabolites in human health. In *Functional foods and nutraceuticals in metabolic and non-communicable diseases* (pp. 783-798). Academic Press.
- Ngcobo, A., Mianda, S. M., Seke, F., Sunette, L. M., & Sivakumar, D. (2024). Phytonutritional Composition and Antioxidant Properties of Southern African, Purple-Fleshed Sweet Potato (*Ipomoea batatas* (L.) Lam.) Storage Roots. *Antioxidants*, 13(3), 338.

- Nkafamiya, I., Ardo, B., Osemeahon, S., & Akinterinwa, A. (2016). Evaluation of nutritional, non-nutritional, elemental content and amino acid profile of *Azanza garckeana* (Goron Tula). *British Journal of Applied Science & Technology*, 12(6), 1-10.
- Nko, K. I., Mwinga, J. L., Asong, J. A., Venter, S. L., Amoo, S. O., & Aremu, A. O. (2025). Cultural Perspectives, Nutritional and Health Values of Wild Edible Plants among the Batswana of Southern Africa. In *Food Security and Nutrition* (pp. 216-241). CRC Press.
- Nkwocha, C. C., Felix, J. O., Michael, L. O., & Ale, B. A. (2024). Phytochemical screening and GC-FID identification of bioactive compounds in n-hexane, ethylacetate and methanol fractions of methanolic leaves extract of *Azanza garckeana*. *Food Chemistry Advances*, 4, 100712.
- Nurudeen, Q. O., Asinmi, M. R., Falana, M. B., Dikwa, M. A., Yusuf, Z. M., & Lambe, M. O. (2024). Antioxidant activity and toxicological implications of the aqueous extract of *Azanza garckeana* fruit pulp in female wistar rats. *Nigerian Journal of Biochemistry and Molecular Biology*, 39(1), 1-7.
- Obia, O., Ezekiel-Hart, H., Laz-Okenwa, J. O. A., Reuben, E., Dan-Jumbo, D., & Wami-Amadi, C. F. (2024). The effect of hydro-methanolic seed extract of *Azanza garckeana* (Goron Tula) on lipid profile and oxidative stress markers of male Wistar rats. *International Journal of Medical Evaluation and Physical Report*, 8(5), 83-89. DOI: 10.56201/ijmepr.v8.no5.2024.pg83.89
- Ochokwu, I. J., Dasuki, A., & Oshoke, J. O. (2015). *Azanza garckeana* (Goron Tula) as an edible indigenous fruit in North Eastern Part of Nigeria. *Journal of Biology, Agriculture and Healthcare*, 5(15), 26-31.
- Ochokwu, I. J., Nwabunike, M. O., & Udeh, G. N. (2019). Evaluation of milt quality of *Clarias anguillaris* (Linnaeus, 1758) broodstock fed varying inclusion levels of wild hibiscus *Azanza garckeana* pulp meal. *Journal of Aquatic Sciences*, 34(1), 23-31. DOI: <https://dx.doi.org/10.4314/jas.v34i1.4>
- Okwu, D. E. (2001). Evaluation of the chemical composition of the leaves of *Ocimum gratissimum* L. and *Thymus vulgaris* L. as spices. *Journal of Medicinal Plants Research*, 5(5), 751-754.
- Oraeluno, J. N., Obasi, J. C., Bamigbola, E. A., & Joseph, B. A. (Year). Extraction and evaluation of the binding properties of pectin derived from *Azanza garckeana* fruit in diclofenac sodium-based tablet. *International Journal of Modern Pharmaceutical Research*, 5(3), 144-147.
- Raimi, C. O., Jimoh, A. O., & Oyeyemi, A. M. (2024). Performance of broiler chicken fed diets supplemented with *Azanza garckeana* (snot apple). *International Journal of Innovative Research and Reviews*, 8(1), 1-5.
- Rajendran, M. (2016). Quinones as photosensitizer for photodynamic therapy: ROS generation, mechanism and detection methods. *Photodiagnosis and photodynamic therapy*, 13, 175-187.
- Salih, A. M., Al-Qurainy, F., Tarroum, M., Shaikhaldein, H. O., & Hashimi, A. (2022). Screening and Estimation of Bioactive Compounds of *Azanza garckeana* (Jakjak) Fruit Using GC-MS, UV-Visible Spectroscopy, and HPLC Analysis. *Separations*, 9(7), 172.
- Simon, L. D., Iliya, J. C., Abraham, P., & Umar, M. U. (2021). Bio-active potential of African chewing gum (*Azanza garckeana*) aqueous leaf extract on second stage juvenile mortality of root-knot nematode (*Meloidogyne incognita*). *Interdisciplinary Journal of Applied and Basics Subjects*, 1(11), 45-51. <https://identifier.visnav.in/1.0002/ijabs-21k-16012/>

- Sirajo, K., Shehu, Z., Binanci, M. U., Mas'ud, I., & Dirk, A. A. (2022). Study of Proximate Composition of Seed and Peel of (*Azanza garckeana*) Goron Tula. *Asian Journal of Food Research and Nutrition*, 1(2), 35-40.
- Souza, S. L., Silva, C. M., Gomes, D. A., Barros, W. A., Castro, R. M., & Alves, S. M. (2024). Tryptophan Metabolism in Developmental Origins of Health and Disease (DOHaD).
- Suleiman Jada, M., Umar, Y., & Usman Wurochekke, A. (2024). Antiplasmodial activity of *Azanza garckeana* root bark extract and its effect on hematological indices in plasmodium berghei infected mice. *Journal of Research in Applied and Basic Medical Sciences*, 10(3), 213-223.
- Suliman, A. M. E. H. (2019). *Azanza garckeana* L.: Distribution, Composition, Nutritive Value, and Utilization. *Wild Fruits: Composition, Nutritional Value and Products*, 379-393.
- Suliman, A. M. E., Difa, I. Y., & Salih, Z. A. (2012). The nutritive value of jakjak (*Azanza garckeana* L.) fruit and its utilization in juice production. *Asian J. Biol. Sci*, 5(4), 209-215.
- Ushie, O. A., Iyen, I. S., Aasegh, T. J., Ama, S. O., Aikhoje, E. F., & Shamaki, H. A. (2022). Phytochemical screening and antimicrobial activities of hexane extract of *Azanzagarckeana*. *Research Journal of Pharmaceutical, Chemical and Biological Sciences (RJPCBS)*, 3(2), 007-012.
- Varagani, S., Kumar, M. U., Ahamad, T., Athul, H., Gomasa, M., Haque, M., ... & Dhanya, P. V. (2024). Role of Glucosamine and Hyaluronic acid in the treatment of Osteoarthritis. *Int. J. Adv. Res. Biol. Sci*, 11(7), 112-126.
- Veiko, A. G., Lapshina, E. A., & Zavodnik, I. B. (2021). Comparative analysis of molecular properties and reactions with oxidants for quercetin, catechin, and naringenin. *Molecular and Cellular Biochemistry*, 476(12), 4287-4299.
- Virginia, F., Cathrine, L., & Fernandez, S. (2024). Isolation, purification, and characterization of betulin, a pentacyclic triterpenoid from the ethanolic extracts of *Coleus forskohlii* tuberous roots; its antimicrobial, antioxidant, anti-inflammatory and cytotoxicity appraisals.: Phytochemistry. *Moroccan Journal of Chemistry*, 12(4), 1531-1553.
- Yasmin, H. E., & Mahdi, A. M. A. (2020). Preliminary phytochemical screening, antibacterial and antioxidant activities of *Azanza garckeana* (Fruits). *GSC Biological and Pharmaceutical Sciences*, 11(3), 125-129.
- Yin, J., Zhao, D., Song, J., Gao, R., Wang, X., Rao, H., ... & Hao, J. (2024). Synergistic Antioxidant Activity of Lycium barbarum Polysaccharide and Chlorogenic Acid and Its Effect on Inflammatory Response of NR8383 Cells. *Foods*, 13(22), 3696.
- Yusuf, A. A., Lawal, B., Alozieuwa, U. B., Onikanni, A. S., Lukman, H. Y., Fadaka, A. O., ... & Fouad, D. (2023). Attenuating effects of *Azanza garckeana* fractions on glycemo-impaired-associated dyslipidemia, hepatopathy, and nephropathy. *American Journal of Translational Research*, 15(10), 5997.
- Yusuf, A. A., Lawal, B., Sani, S., Garba, R., Mohammed, B. A., Oshevire, D. B., & Adesina, D. A. (2020). Pharmacological activities of *Azanza garckeana* (Goron Tula) grown in Nigeria. *Clinical Phytoscience*, 6, 1-8.
- Yusuf-Omoloye, N. A., Adeyemi, F. M., Sule, W. F., Azeez, L., Oyedara, O. O., Wahab, A. A., ... & Lateef, A. (2024). Green-synthesis, characterization, and antibacterial activity of *Azanza garckeana* seed extract silver nanoparticles against vancomycin-resistant Enterococci. *Next Nanotechnology*, 6, 100035.
- Zakawa, N. N., Yusuf, C. S., Oyebanji, E. O., Timon, D., Isa, A., Bala, U., & William, N. Nigerian Journal of Botany Journal/Nigerian Journal of Botany/Vol. 34 No. 1 (2021)/Articles Open Access.