

UNVEILING THE ROLES OF MICROORGANISMS IN PROMOTING ENVIRONMENTAL SUSTAINABILITY

Shamsudeen Muhammad Muhammad & Murtala Saadu

Kebbi State University of Science and Technology Aliero, Nigeria

deenshams2000@gmail.com ; mustalas1@gmail.com

Article Info:

Submitted:	Revised:	Accepted:	Published:
Sep 1, 2023	Sep 5, 2023	Sep 8, 2023	Sep 11, 2023

Abstract

The environment is described as the situations or factors that encircle an individual organism or a collection of organisms. Environmental sustainability refers to the responsible and balanced management of natural resources and ecosystems to meet the needs of the present without compromising the ability of future generations to meet their own needs. Microorganisms play a critical and multifaceted role in promoting environmental sustainability by participating in various ecological processes and functions. This paper explores the roles of microbes in maintaining environmental sustainability. Microbes, encompassing bacteria, archaea, fungi, protists, and viruses, exhibit remarkable functional diversity across diverse habitats, allowing them to contribute to key environmental challenges. The challenges facing environmental sustainability, include climate change, biodiversity loss, resource depletion, pollution, deforestation, and lack of public awareness on environmental issues. Microbes contribute significantly to addressing these challenges through nutrient cycling, bioremediation, waste management, renewable energy production, climate change mitigation, ecosystem health maintenance, and enhancing agriculture and food security. The capabilities of microbes provide promising avenues for creating a more sustainable future. By elucidating the contributions of microbes to environmental sustainability, this paper underscores their pivotal

role in shaping resilient and balanced ecosystems for present and future generations. As we strive for a more sustainable future, harnessing the potential of these tiny yet powerful creatures can significantly contribute to achieving a harmonious coexistence between humanity and the natural world. Further research is needed to investigate ways to engineer and optimize microbial processes for enhanced nutrient cycling, bioremediation, and waste management.

Keywords: Bioremediation, Environmental Sustainability, Ecosystem Resilience, Nutrient Cycling, Microbial Diversity

Introduction

An environment is defined as the situation or factors encircling an individual or a collection of individuals. It encompasses the intricate combination of societal or cultural elements that influence a person or a society. Given that humans dwell within both the natural setting and the constructed or technological, communal, and cultural domains, all of these components collectively form a significant portion of our surroundings (Gupta et al., 2017; A. Kumar, 2018).

Environmental sustainability pertains to the conscientious and well-balanced management of natural resources and ecosystems, aimed at satisfying current requirements while safeguarding the potential of future generations to fulfill their own needs (Wilderer, 2007). This approach emphasizes the safeguarding and preservation of the environment, to prevent human actions from depleting or deteriorating crucial resources and ecological systems. Environmental sustainability encompasses a broad array of practices and strategies that foster enduring concord between human endeavors and the natural realm while considering economic, social, and environmental aspects. The aim is to shape a world in which the environment displays resilience, biodiversity, and the capacity to sustain life steadily and equitably (Moffatt, 1996; Pezzoli, 1997).

In contrast to other life forms, microorganisms inhabit diverse habitats across the globe, spanning both living and non-living realms. These niches encompass areas such as Arctic and Antarctic zones, alpine regions, deserts, deep rock sediments, marine ecosystems, and even thermal vents (Cotgreave & Forseth, 2009). Microbes constitute the largest and most varied collection of life forms on the planet, encompassing a wide range of taxonomic

classifications such as bacteria, Achaea, fungi, protists, and viruses. Bacteria and Achaea are prokaryotes, while fungi, protists, and viruses are eukaryotes. Each group possesses distinct traits, metabolic capacities, and ecological roles in different ecosystems (Bradley & Martiny, 2007). Microbes go beyond mere taxonomic variety to encompass functional diversity as well. They exhibit diverse metabolic abilities and ecological roles, which play key roles in processes like nutrient cycling, decomposition, and symbiotic relationships within ecosystems. This functional diversity is crucial for maintaining ecosystem resilience and stability, as various species can fulfill similar functions, adapting to shifts in the environment (Douglas, 2018; Gill et al., 2020). Microbial diversity is essential for ecosystem health, resilience, and stability. The richness of microbial diversity is paramount for the well-being, robustness, and consistency of ecosystems. Microbes play a pivotal role in crucial activities like the circulation of nutrients, breakdown of organic matter, and chemical changes in the environment. Their participation in these functions enhances the effectiveness and operation of ecosystems, thereby impacting the development and endurance of plants, animals, and other life forms (Palit et al., 2022). Despite their significance, the role of microbes in promoting environmental sustainability remains underexplored. Therefore, this paper aims to shed light on the invaluable contributions of microorganisms to maintaining the roles of microbes in maintaining environmental sustainability.

Environmental Sustainability Challenges

Environmental sustainability faces several challenges that need to be addressed to achieve a balanced and resilient relationship between human society and the natural world. Some of the key challenges include:

Climate Change

Climate change encompasses the gradual shifts in temperature and weather patterns resulting from human activities. The primary indicators of this phenomenon include a rise in the average global temperature and the occurrence of erratic and severe weather events that are difficult to forecast (Shivanna, 2022). In the 21st century, climate change has gained significant prominence as a critical concern, impacting nearly every corner of the globe. Certain geographical areas are particularly susceptible due to their positioning. This phenomenon affects various forms of life, encompassing humans, animals,

microorganisms, and plants alike. The primary driver behind climate change is the increased presence of greenhouse gases in the Earth's atmosphere (Tiedje et al., 2022). The warming of the planet due to increased greenhouse gas emissions from human activities poses a severe threat. Rising temperatures, shifting weather patterns, sea-level rise, and extreme weather events impact ecosystems, water resources, agriculture, and communities (Blau & Blau, 2017).

Biodiversity Loss

Biodiversity loss, also known as the decline of biodiversity, entails a reduction in the variety of life forms present in a species, an ecosystem, a specific geographical region, or the entire planet. Biodiversity, encompassing genetic diversity, species richness, individual populations within species, and biological communities within a defined area, spans from the tiniest ecosystems to the worldwide biosphere (Díaz et al., 2006). Biodiversity loss is driven by a range of factors including habitat destruction and fragmentation due to human activities like deforestation and urbanization. Pollution, climate change, and invasive species also contribute to destabilizing ecosystems. Overexploitation through unsustainable hunting and fishing, along with disease introductions, can lead to population declines (De Boeck et al., 2018). The swift reduction of species and ecosystems is a result of human activities, including deforestation, habitat destruction, and pollution. This decline in biodiversity disrupts the functioning of ecosystems, diminishes their resilience, and poses a threat to the stability of the Earth's natural systems (Cardinale, 2012; Díaz et al., 2006).

Resource Depletion

The increasing worry over natural resource depletion from the finite availability of nonrenewable resources. Given their vital role in the global economy and societal operations, the swift exhaustion of these resources raises significant alarms. Natural resource depletion arises when the extraction of resources outpaces their renewal in the environment. This challenge is exacerbated by the simultaneous rise in the global population and its escalating demands for resources (Xu & Zhao, 2023). Factors contributing to the depletion of natural resources includes consumption patterns, population expansion, industrialization, climate change, and pollution. Overexploitation of natural resources, including freshwater, minerals, and fossil fuels is depleting finite resources at an unsustainable rate. This poses risks to industries, economies, and the well-being of societies (Jie et al., 2023; Singh & Singh, 2017).

Pollution and Improper Waste Disposal

Global environmental pollution is a widespread issue, holding significant potential to impact the well-being of human populations. Pollution entails the introduction of harmful substances into an environment and can be described as an unfavorable alteration in the physical, chemical, and biological attributes of air, water, and soil. This alteration has repercussions for human existence, as well as the well-being of beneficial flora and fauna, industrial advancement, living standards, and cultural heritage (Khan & Ghouri, 2011). Pollution of air, water, and soil due to industrial processes, improper waste disposal, and chemical use has significant negative impacts on ecosystems, human health, and wildlife (Ukaogo et al., 2020).

Deforestation

Deforestation refers to the process of clearing or removing large areas of forests or trees, typically to convert the land to other uses such as agriculture, urban development, or mining. It involves the permanent removal of trees and vegetation from a particular area, often leading to significant ecological and environmental impacts, including habitat loss, disruption of ecosystems, and changes in local climate patterns (R. Kumar et al., 2022).

Lack of Public Awareness

Insufficient understanding and awareness of environmental issues among the general public can hinder collective action and policy support for sustainability initiatives.

Roles of Microorganisms in Promoting Environmental Sustainability

Nutrient Cycling

Microbes are important in the cycling of nutrients in the environment. They help in nutrient absorption, recycling, and element transfer between various forms, such as nitrogen and carbon. Microorganisms in aquatic habitats participate in nutrient cycling, digestion, and disease management, all of which contribute to the ecosystem's health (Sehna et al., 2021). Mutualistic catabolic interactions between different types of microorganisms in subterranean ecosystems improve ecosystem productivity and spread the ecosystem. Microbial decomposers in soil are in charge of vital nutrient flow, and their activity is controlled by seasonal variations in producer and detrital quality (Carfora et al.,

2021). The soil microbiome, which is made up of several microbial communities, is engaged in nutrient transformations and the cycling of abiotic and biotic pools.

Nitrogen Cycle

Microbes play an important part in the nitrogen cycle, mediating processes such as nitrification, nitrogen fixation, ammonification, denitrification, and nitrate absorption. They are responsible for turning nitrogen into various forms that plants and other creatures may use (Dilfuza, 2011). It has been discovered that soil microbial biomass has a considerable impact on the net nitrogen mineralization rate. Soil microbial biomass carbon is a key determinant of the gross soil nitrogen immobilization rate (Cheng et al., 2020).

Carbon Cycle

By digesting organic carbon and contributing to nutrient mineralization and recycling in many ecosystems, microbes play an important part in the carbon cycle (Hadas, 2014). They degrade many components of organic carbon found in soil organic matter, such as cellulose, lignin, hemicelluloses, chitin, and lipids. Microbial breakdown of soil organic carbon is critical for soil fertility maintenance and plays an important role in the global carbon cycle. Microbes are engaged in the remineralization of sinking organic particles in aquatic environments, which influences carbon budgets and the sequestration of carbon from the atmosphere (Kong et al., 2021). Microbes also oxidize petrogenic organic carbon, releasing CO₂ into the atmosphere, which offsets the carbon sink given by atmospheric CO₂ reactions with silicate rocks (Hilton & West, 2020).

Phosphorus Cycle

Microbes play an important part in the phosphorus cycle by modulating phosphorus biogeochemical cycling in varied environments. They are engaged in both phosphorus release and sequestration. Soil microorganisms such as bacteria and archaea solubilize phosphorus by producing organic acids, which lowers the pH and increases phosphorus availability to plants (Gondal, Hussain, et al., 2021). Microbial activities influence the mobilization and immobilization of phosphorus in aquatic settings. During the mineralization of organic materials, heterotrophic microbial populations give off dissolved inorganic phosphorus. Furthermore, in the ocean, cyanobacteria are responsible for the reduction of phosphate to P(III) molecules, which contributes to the phosphorus redox cycle (Mackey & Paytan, 2009).

Bioremediation

Microbes can break down a wide range of toxins and contaminants found in the environment. Bioremediation, which makes use of microorganisms' natural and adapted capabilities, is an efficient approach for removing toxins and maintaining environmental stability and health. Microbes such as bacteria, fungi, and algae play an important part in bioremediation by utilizing contaminants as substrates and decomposing them into simpler chemicals (V. Kumar et al., 2018). Bioremediation effectiveness is determined by parameters such as microbe type, contaminants, and environmental circumstances. Advanced technologies like as genomics, transcriptomics, and bioinformatics have offered critical insights into the processes and interactions of bioremediation microbial communities. Bioremediation is an important method for managing and mitigating pollution (Zhang et al., 2020).

Waste Management

Microorganisms play important roles in waste management by aiding in the proper disposal and treatment of various types of waste. They are used in processes such as composting, landfills, wastewater treatment, and bioremediation. Different types of microorganisms, including bacteria, fungi, algae, viruses, and protozoa, are utilized for specific purposes in waste management (Abubakar et al., 2022). These microorganisms help in the breakdown and degradation of complex waste materials, making the process more efficient. They produce enzymes that convert complex molecules into simpler components, facilitating the biodegradation of solid waste. Microorganisms are also used in the treatment of sewage, oil spills, and industrial waste. Recent advances in microbiological waste management have further improved the efficacy of microorganisms in addressing waste-related challenges (Ferronato & Torretta, 2019).

Renewable Energy Production

Microorganisms play an important part in producing renewable energy. They are employed in the production of renewable biomass-based biofuels such as biogas, bioethanol, and biodiesel. Anaerobic bacteria play a critical role in the commercial generation of biogas and bioethanol. In anaerobic digesters, these bacteria are in charge of various degrading routes and activities (Patel et al., 2022). Furthermore, photosynthetic bacteria can transform inorganic carbon and water into potential fuels and fuel precursors. Microalgae, in particular, are thought to be an excellent source of renewable energy generation since they

can grow quickly and generate oil all year. They can be utilized directly as a source of biomass for fuel generation or indirectly as a source of alternative fuels via the excretion of valuable compounds. Furthermore, microorganisms can also be utilized in microbial fuel cells to convert chemical compounds into electricity (Ekwebelem et al., 2020).

Climate Change Mitigation

Microorganisms play a crucial role in mitigating the effects of climate change. They can sequester greenhouse gases such as carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O) from the atmosphere, thus reducing their concentration and mitigating global warming (Kang, 2021). Microorganisms can be harnessed to develop biostimulants and micro/Nano-based formulations that can protect plants against abiotic stresses caused by climate change, such as drought, flooding, and salinity (Athanasia et al., 2020).

Ecosystem Health

Microorganisms play a crucial role in ecosystem health by contributing to nutrient cycling, organic matter degradation, and soil fertility. They are recognized as key players in ecological interactions and are involved in the cycling of recalcitrant organic compounds such as lignin and cellulose (Mihailović et al., 2019). Microbial communities, including bacteria, archaea, and microfungi, are vital to soil ecosystem functioning and provide essential ecosystem services such as soil fertility, resilience, and stress resistance. These communities exist in enormous numbers and have immense cumulative mass and activity, influencing the biodiversity and productivity of aboveground ecosystems (Sayyed, 2011).

Agriculture and Food Security

Microorganisms, such as microbial inoculants, plant growth-promoting rhizobacteria, mycorrhizal fungi, and beneficial soil microorganisms, can be used to improve agricultural productivity and food security. These microorganisms provide various benefits, including enhancing crop growth and yield, managing abiotic and biotic stress, preventing phytopathogen attacks, promoting plant growth and crop quality, and improving soil fertility and productivity (Agbowuro et al., 2021; Sundh et al., 2021). They can also contribute to biological pest and disease control, biodegradation of organic matter and pollutants, and the improvement of soil fertility and plant development (Fasusi et al., 2021; Gondal, Farooq, et al., 2021). Additionally, microbes play a significant role in food preservation and can improve mineral availability to plants, thereby increasing plant growth and yield (de los Santos-Villalobos & Parra-Cota, 2021). By harnessing the genetic and

metabolic diversity of microbiota in agroecosystems, microbial inoculants can be developed as a sustainable strategy to ensure global food security and mitigate the negative impacts of conventional agriculture on the environment, health, and society.

Conclusion

In conclusion, microorganisms play a crucial and often underestimated role in upholding environmental sustainability. Their remarkable diversity, functional versatility, and adaptability make them indispensable contributors to maintaining ecological balance and resilience. Through processes such as nutrient cycling, bioremediation, waste management, and climate change mitigation, microbes actively participate in addressing pressing environmental challenges. Recognizing and harnessing their potential is essential for designing effective strategies to create a more sustainable world. As we strive for a more sustainable future, harnessing the potential of these tiny yet powerful allies can significantly contribute to achieving a harmonious coexistence between humanity and the natural world. However, further research is needed to deepen our understanding of specific microbial mechanisms, interactions, and their impacts on various ecosystems.

References

- Abubakar, I. R., Maniruzzaman, K. M., Dano, U. L., Alshihri, F. S., & Alrawaf, T. I. (2022). Environmental Sustainability Impacts of Solid Waste Management Practices in the Global South. *International Journal of Environmental Research and Public Health*, 19.
- Agbowuro, G. O., Ayeyo, M. E., & Emecho, T. S. (2021). The Use of Microbial Inoculants in Crop Production for Food Security Sustainability. *Advanced Journal of Graduate Research*, 10(1), 33–40. <https://doi.org/10.21467/ajgr.10.1.33-40>
- Athanasia, K., Michalis, O., Dionysia, F. and, & Ioannis, I. (2020). The Importance of Microbial Inoculants in a Climate-Changing Agriculture in Eastern Mediterranean Region. *Atmosphere*, 11(1136), 1–18.
- Blau, J., & Blau, J. (2017). The Warming of the Planet. *The Paris Agreement: Climate Change, Solidarity, and Human Rights*, 13–22.
- Bradley, D. J., & Martiny, J. B. H. (2007). Microbial biodiversity. *Encyclopedia of Biodiversity*, Elsevier Press, Amsterdam, 1–9.
- Cardinale, B. (2012). Impacts of biodiversity loss. *Science*, 336(6081), 552–553.
- Carfora, K., Forgoston, E., Billings, L., & Krumins, J. A. (2021). Seasonal effects on the stoichiometry of microbes, primary production, and nutrient cycling. *Theoretical Ecology*, 14(2), 321–333. <https://doi.org/10.1007/s12080-020-00500-8>

- Cheng, Y., Wang, J., Wang, J., Wang, S., Chang, S. X., Cai, Z., Zhang, J., Niu, S., & Hu, S. (2020). Nitrogen deposition differentially affects soil gross nitrogen transformations in organic and mineral horizons. *Earth-Science Reviews*, 201, 103033.
- Cotgreave, P., & Forseth, I. (2009). *Introductory ecology*. John Wiley & Sons.
- De Boeck, H. J., Bloor, J. M. G., Kreyling, J., Ransijn, J. C. G., Nijs, I., Jentsch, A., & Zeiter, M. (2018). Patterns and drivers of biodiversity–stability relationships under climate extremes. *Journal of Ecology*, 106(3), 890–902.
- de los Santos-Villalobos, S., & Parra-Cota, F. I. (2021). Current trends in plant growth-promoting microorganisms research for sustainable food security. *Current Research in Microbial Sciences*, 2, 100016. <https://doi.org/https://doi.org/10.1016/j.crmicr.2020.100016>
- Díaz, S., Fargione, J., Chapin, F. S., & Tilman, D. (2006). Biodiversity loss threatens human well-being. *PLoS Biology*, 4(8), 1300–1305. <https://doi.org/10.1371/journal.pbio.0040277>
- Dilfuza, E. (2011). Role of microorganisms in nitrogen cycling in soils. *Soil Nutrients*, 159–176.
- Douglas, A. E. (2018). *Fundamentals of microbiome science: how microbes shape animal biology*. Princeton University Press.
- Ekwebelem, O. C., Ofielu, E. S., Dike, O. V. N., Aleke, J. C., & Nwachukwu, G. A. (2020). Towards Sustainable Energy: The Requisite Role of Microorganisms in the Production of Biogas and Bioethanol. *Journal of Energy Research and Reviews*, 6(2), 20–32. <https://doi.org/10.9734/jenrr/2020/v6i230164>
- Fasusi, O. A., Cruz, C., & Babalola, O. O. (2021). *Agricultural Sustainability: Microbial Biofertilizers in Rhizosphere Management*.
- Ferronato, N., & Torretta, V. (2019). Waste Mismanagement in Developing Countries : A Review of Global Issues. *International Journal of Environmental Research and Public Health*, 16. <https://doi.org/10.3390/ijerph16061060>
- Gill, A. S., Purnell, K., Palmer, M. I., Stein, J., & McGuire, K. L. (2020). Microbial Composition and Functional Diversity Differ Across Urban Green Infrastructure Types. *Frontiers in Microbiology*, 11(June). <https://doi.org/10.3389/fmicb.2020.00912>
- Gondal, A. H., Farooq, Q., Hussain, I., Toor, D., & Information, A. (2021). *Review Article Agrinula : Jurnal Agroteknologi dan Perkebunan*. 4(2), 106–121.
- Gondal, A. H., Hussain, I., Ijaz, A. B., Zafar, A., Ch, B. I., Zafar, H., Sohail, M. D., Niazi, H., Touseef, M., & Khan, A. A. (2021). Influence of soil pH and microbes on mineral solubility and plant nutrition: A review. *International Journal of Agriculture and Biological Sciences*, 5(1), 71–81.
- Gupta, A., Gupta, R., & Singh, R. L. (2017). Principles and Applications of Environmental Biotechnology for a Sustainable Future. In *Principles and Applications of Environmental Biotechnology for a Sustainable Future* (pp. 43–85). Springer Science+Business Media Singapore 2017. <https://doi.org/10.1007/978-981-10-1866-4>
- Hadas, O. (2014). Microbial processes within the nitrogen cycle. *Lake Kinneret: Ecology and Management*, 381–396.
- Hilton, R. G., & West, A. J. (2020). Mountains, erosion and the carbon cycle. *Nature Reviews Earth & Environment*, 1(6), 284–299.

- Jie, H., Khan, I., Alharthi, M., Zafar, M. W., & Saeed, A. (2023). Sustainable energy policy, socio-economic development, and ecological footprint: The economic significance of natural resources, population growth, and industrial development. *Utilities Policy*, 81, 101490.
- Kang, S. (2021). *Microbes' Many Roles in Climate Change: Contribution, Consequence, Mitigation, and Model System BT - Microbes: The Foundation Stone of the Biosphere* (C. J. Hurst (ed.); pp. 187–194). Springer International Publishing. https://doi.org/10.1007/978-3-030-63512-1_11
- Khan, M. A., & Ghouri, A. M. (2011). Environmental pollution: its effects on life and its remedies. *Researcher World: Journal of Arts, Science & Commerce*, 2(2), 276–285.
- Kong, L.-F., He, Y.-B., Xie, Z.-X., Luo, X., Zhang, H., Yi, S.-H., Lin, Z.-L., Zhang, S.-F., Yan, K.-Q., & Xu, H.-K. (2021). Illuminating Key Microbial Players and Metabolic Processes Involved in the Remineralization of Particulate Organic Carbon in the Ocean's Twilight Zone by Metaproteomics. *Applied and Environmental Microbiology*, 87(20), e00986-21.
- Kumar, A. (2018). Brief Introduction of Environment, Ecology and Environmental Pollution. *Inspira-Journal of Modern Management & Entrepreneurship (JMME)*, 314(01), 314–322.
- Kumar, R., Kumar, A., & Saikia, P. (2022). Deforestation and forests degradation impacts on the environment. In *Environmental Degradation: Challenges and Strategies for Mitigation* (pp. 19–46). Springer.
- Kumar, V., Shahi, S. K., & Singh, S. (2018). Bioremediation: an eco-sustainable approach for restoration of contaminated sites. *Microbial Bioprospecting for Sustainable Development*, 115–136.
- Mackey, K. R. M., & Paytan, A. (2009). Phosphorus cycle. In *Encyclopedia of Microbiology* (Vol. 3, pp. 322–334). Elsevier Oxford.
- Mihailović, S. A., Dragutin, Đ., & Leka, M. (2019). Microorganisms of soil ecosystems and their health. *Acta Agriculturae Serbica*, XXIV(48), 191–207. <https://doi.org/10.5937/AASer1948191M>
- Moffatt, I. (1996). *Sustainable development: principles, analysis and policies*. Parthenon Publishing Group.
- Palit, K., Rath, S., Chatterjee, S., & Das, S. (2022). Microbial diversity and ecological interactions of microorganisms in the mangrove ecosystem: Threats, vulnerability, and adaptations. *Environmental Science and Pollution Research*, 29(22), 32467–32512.
- Patel, A., Rova, U., Christakopoulos, P., & Matsakas, L. (2022). Role of Oleaginous Microorganisms in the Field of Renewable Energy. *Energies*, 15(16), 3–5. <https://doi.org/10.3390/en15165984>
- Pezzoli, K. (1997). Sustainable development: a transdisciplinary overview of the literature. *Journal of Environmental Planning and Management*, 40(5), 549–574.
- Sayed, R. Z. (2011). Soil Microorganisms and Environmental Health. *Sayed & Patel, Int. J. Biotech & Biosci.*, 1(1), 41–66.
- Sehnal, L., Brammer-Robbins, E., Wormington, A. M., Blaha, L., Bisesi, J., Larkin, I., Martyniuk, C. J., Simonin, M., & Adamovsky, O. (2021). Microbiome composition and function in aquatic vertebrates: small organisms making big impacts on aquatic

- animal health. *Frontiers in Microbiology*, 12, 567408.
- Shivanna, K. R. (2022). Climate change and its impact on biodiversity and human welfare. *Proceedings of the Indian National Science Academy*, 88(2), 160–171. <https://doi.org/10.1007/s43538-022-00073-6>
- Singh, R. L., & Singh, P. K. (2017). Global environmental problems. *Principles and Applications of Environmental Biotechnology for a Sustainable Future*, 13–41.
- Sundh, I., Del Giudice, T., & Cembalo, L. (2021). Reaping the benefits of microorganisms in cropping systems: Is the regulatory policy adequate? *Microorganisms*, 9(7), 1–18. <https://doi.org/10.3390/microorganisms9071437>
- Tiedje, J. M., Bruns, M. A., Casadevall, A., Criddle, C. S., Eloë-Fadrosh, E., Karl, D. M., Nguyen, N. K., & Zhou, J. (2022). Microbes and Climate Change: a Research Prospectus for the Future. *MBio*, 13(3). <https://doi.org/10.1128/mbio.00800-22>
- Ukaogo, P. O., Ewuzie, U., & Onwuka, C. V. (2020). Environmental pollution: causes, effects, and the remedies. In *Microorganisms for sustainable environment and health* (pp. 419–429). Elsevier.
- Wilderer, P. A. (2007). Sustainable water resource management: the science behind the scene. *Sustainability Science*, 2(1), 1–4.
- Xu, Y., & Zhao, F. (2023). Impact of energy depletion, human development, and income distribution on natural resource sustainability. *Resources Policy*, 83(March). <https://doi.org/10.1016/j.resourpol.2023.103531>
- Zhang, H., Yuan, X., Xiong, T., Wang, H., & Jiang, L. (2020). Bioremediation of co-contaminated soil with heavy metals and pesticides: Influence factors, mechanisms and evaluation methods. *Chemical Engineering Journal*, 398, 125657.